

MOBILE ELECTRIC POWER DISTRIBUTION, 100kW PANEL																									
	TAMCN: B0605																								
	ID: 09124A																								
	NSN: 6110-01-272-6952																								
Functional Description																									
<p>The 100kW Power Distribution System is a skid-mounted unit used in combination to provide electric power to a network of multiple 120/208-Volt, 1-Phase loads and 120-Volt, 1-Phase loads from a remote generator or facility power. Circuit breakers are accessed through a hinged cabinet cover and input/output receptacles are covered. Cables interconnect the individual power distribution panel board assemblies. All assemblies consist of a box, a frame assembly, and a cover assembly. It is equipped with rear access door assemblies, and front and rear panel receptacles. This set includes five input and 17 output cables, and an eyebolt for lifting.</p>																									
Technical Description																									
<table border="0"> <thead> <tr> <th colspan="2"><u>Panel</u></th> <th colspan="2"><u>Dimensions</u></th> </tr> </thead> <tbody> <tr> <td>Manufacturer:</td> <td>UNICOR</td> <td>Length (in):</td> <td>32</td> </tr> <tr> <td>Model:</td> <td>PD100</td> <td>Width (in):</td> <td>57</td> </tr> <tr> <td>Voltage (Volts):</td> <td>120/208</td> <td>Height (in):</td> <td>35</td> </tr> <tr> <td>Frequency (Hz):</td> <td>60</td> <td>Weight (lbs):</td> <td>345</td> </tr> <tr> <td>Phase:</td> <td>1</td> <td>Volume (ft³):</td> <td>36.94</td> </tr> </tbody> </table>	<u>Panel</u>		<u>Dimensions</u>		Manufacturer:	UNICOR	Length (in):	32	Model:	PD100	Width (in):	57	Voltage (Volts):	120/208	Height (in):	35	Frequency (Hz):	60	Weight (lbs):	345	Phase:	1	Volume (ft ³):	36.94	
<u>Panel</u>		<u>Dimensions</u>																							
Manufacturer:	UNICOR	Length (in):	32																						
Model:	PD100	Width (in):	57																						
Voltage (Volts):	120/208	Height (in):	35																						
Frequency (Hz):	60	Weight (lbs):	345																						
Phase:	1	Volume (ft ³):	36.94																						
Technical Data																									
<table border="0"> <tr> <td style="padding-right: 20px;">Input:</td> <td>5-Wire, 3-Phase, 350 Amp Main Breaker.</td> </tr> <tr> <td style="padding-right: 20px;">Output:</td> <td>4 Each: 3-Phase, 100 Amp, 208/120VAC. 2 Each: 3-Phase, 60 Amp, 208/120VAC. 2 Each: 3-Phase, 30 Amp, 208/120VAC. 2 Each: 3-Phase, 20 Amp, 208/120VAC.</td> </tr> <tr> <td style="padding-right: 20px;">Cords:</td> <td>5 Each: Input / 17 Each: Output.</td> </tr> <tr> <td style="padding-right: 20px;"><u>Replaced Item</u></td> <td>No USMC items replaced.</td> </tr> <tr> <td style="padding-right: 20px;"><u>Transportability</u></td> <td>Forklift Portable.</td> </tr> </table>	Input:	5-Wire, 3-Phase, 350 Amp Main Breaker.	Output:	4 Each: 3-Phase, 100 Amp, 208/120VAC. 2 Each: 3-Phase, 60 Amp, 208/120VAC. 2 Each: 3-Phase, 30 Amp, 208/120VAC. 2 Each: 3-Phase, 20 Amp, 208/120VAC.	Cords:	5 Each: Input / 17 Each: Output.	<u>Replaced Item</u>	No USMC items replaced.	<u>Transportability</u>	Forklift Portable.															
Input:	5-Wire, 3-Phase, 350 Amp Main Breaker.																								
Output:	4 Each: 3-Phase, 100 Amp, 208/120VAC. 2 Each: 3-Phase, 60 Amp, 208/120VAC. 2 Each: 3-Phase, 30 Amp, 208/120VAC. 2 Each: 3-Phase, 20 Amp, 208/120VAC.																								
Cords:	5 Each: Input / 17 Each: Output.																								
<u>Replaced Item</u>	No USMC items replaced.																								
<u>Transportability</u>	Forklift Portable.																								